


100 .50

ECY 010-97



RECOMMENDATION FOR ENFORCEMENT ACTION

DATE: April 14, 1978 MEMO TO: Enforcement Officer MARK C. PREMO 885-1900 FROM: (Public Telephone Number) (Full Name) RECOMMENDED ENFORCEMENT ACTION BE TAKEN AGAINST: ACE GALVANIZING, INCORPORATED (Name: Company, Individual, Municipality, County, etc.) ZIP: 98108 429 - 96th South, Seattle (Address) II. For: A. Violation of Water Well Construction Act of 1971, Chapter 18.104 RCW. Specific paragraph RCW/WAC B. Violation of Clean Air Act, Chapter .70.94 RCW. Specific paragraph RCW/WAC C. Violation of Flood Control Laws, Chapter 86.16 RCW. Specific paragraph RCW/WAC D. Denial of water right application Number (RCW 90.03.290) Volume of withdrawal or diversion: Proposed Use E. Violation of Water Resources Laws, Title 90 RCW. (Reference RCW 43.27A) Specific paragraph RCW/WAC X F. Unlawful discharge of wastes into public waters, RCW 90.48.080. Water Quality Regulatory Notice and Order, RCW 90.48.120. Noncompliance with waste discharge permit, RCW 90.48.180. (Include a copy of page 1 and the page of the permit containing the condition violated.) Intentional or negligent discharge of oil into state waters, RCW 90.48.350. Type of oil (diesel, gasoline, fuel, bunker C, crude, etc.) Amount of oil spilled: gallons/barrels. J. Modification of Water Quality Criteria, WAC 173-201-100(2). Χ K. Other: Noncompliance with Order #DE 76-286 III. The violation occurred at : (Time) _____ (Date) for the past seven(7) years. Location of the incident/acivity: 429 - 96th South, Seattle 98108 Name of watercourse involved: <u>Duwamish River & Class: B</u> Tributary ditch

> USEPA SF 1410032

TO:

FROM:

Enforcement Officer

Regional Manager

e: April 14, 1978

Name of Company or Individual: ACE GALVANIZING	
VI. Narrative of incident/situation: (Use separate page or memo if necessary.)
(see attachments)	
VII. Physical evidence obtained: Samples X PicturesOther	
VIII. Names and addresses of witnesses: Mark Premo, Sue Wenke, Larry Ashley;	. ;
_all_at_DOF, NWRO	•
IX. Recommended Penalty OR Corrective action to be taken: \$3000 penalty an	d
an associated order to cease the discharge.	•
Enclosures Lab Report, No. Pictures District Enclosed By) (Title))
ENDORSEMENT	
TO: Regional Manager	
FROM: Division Supervisor	
We have taken the following actions within the Region to resolve this problem: Let offactual dicumentation. Act is currently in windstates	f
DOF order, and has no permit. They claimed no permit was	
needed as they had no discharge. David Jannallee (Division Supervisor)	
Micoart U. Messman	4/17/7

Recommend enforcement action (not) be taken as proposed.